

Configuring Computational Agents

Gerd Beuster
Institute of Informatics
University Koblenz-Landau
Universitätsstr. 1
56070 Koblenz
Germany
gb@uni-koblenz.de

Roman Neruda
Institute of Computer Science
Academy of Sciences of the Czech Republic
Pod vodárenskou věží 2
182 07 Prague 8
Czech Republic
roman@cs.cas.cz

Abstract

A formalism for the logical description of computational agents and multi-agent systems is given. It is explained how it such a formal description can be used to configure and reason about multi-agent systems realizing computational intelligence models. A usage within a real software system Bang 3 is demonstrated. The logical description of multi-agent systems opens Bang 3 for interaction with ontology based distributed knowledge systems like the Semantic Web or the Knowledge Grid.

1. Introduction

The use of distributed Multi-Agent Systems (MAS) instead of monolithic programs has become a popular topic both in research and application development. Autonomous agents are small self-contained programs that can solve simple problems in a well-defined domain [19]. In order to solve complex problems, agents have to collaborate, forming Multi-Agent Systems (MAS). A key issue in MAS research is how to generate MAS configurations that solve a given problem [9]. In most Systems, an intelligent (human) user is required to set up the system configuration. Developing algorithms for automatic configuration of Multi-Agent Systems is a major challenge for AI research.

Bang 3 is a platform for the development of Multi-Agent Systems [15], [18]. Its main areas of application are computational intelligence methods (genetic algorithms, neural networks, fuzzy controllers) on single machines and clusters of workstations. Hybrid models, including combinations of artificial intelligence methods such as neural networks, genetic algorithms and fuzzy logic controllers, seem to be a promising and extensively studied research area [5]. *Bang 3* — as a distributed multi-agent system — provides

a support for an easy creation and execution of such hybrid AI models.

Bang 3 applications require a number of cooperating agents to fulfill a given task. So far, MAS are created and configured manually. In this paper, we introduce a logical reasoning component for *Bang 3*. With this component, *Bang 3* system configurations can be created automatically and semi-automatically. The logical description of MAS opens *Bang 3* for interaction with ontology based distributed knowledge systems like the Semantic Web [13] and the Knowledge grid [23].

The description of *Bang 3* by formal logics enhances the construction, testing, and application of *Bang 3*-MAS in numerous ways:

- System Checking
A common question in Multi-Agent System design is whether a setup has certain properties. By the use of formal descriptions of the agents involved in a MAS and their interactions, properties of the MAS can be (dis-)proved [17].
- System Generation
Starting with a set of requirements, the reasoning component can be used to create a MAS. The formal logical component augments evolutionary means of agent configuration that are already present in *Bang 3* [4].
- Interactive System Generation
The reasoning component can also be used to create agents in semi-automated ways. Here, the reasoning component acts as a helper application aiding a user in setting up MAS by making suggestions.
- Interaction with ontology based systems
There is a growing interest in creating common logical frameworks (ontologies) that allow the interaction of independent, distributed knowledge based system. The most prominent one is the Semantic Web, which

attempts to augment the World Wide Web with ontological knowledge. Using formal logics and reasoning in *Bang 3* allows to open this world to *Bang 3*.

2. Logical Description of *Bang 3* MAS

In order to satisfy these requirements, the logical formalism must fulfill the following requirements:

1. It must be expressive enough to describe *Bang 3* MAS.
2. There must be efficient reasoning methods.
3. It should be suitable to describe ontologies
4. It should interface with other ontology based systems.

There is a lot of research in how to use formal logics to model ontologies. The goal of this research is to find logics that are both expressive enough to describe ontological concepts, and weak enough to allow efficient formal reasoning about ontologies.

The most natural approach to formalize ontologies is the use of First Order Predicate Logics (FOL). This approach is used by well known ontology description languages like Ontolingua [10] and KIF [12].

The disadvantage of FOL-based languages is the expressive power of FOL. FOL is undecidable [8], and there are no efficient reasoning procedures. Nowadays, the de facto standard for ontology description language for formal reasoning is the family of description logics. Description logics are equivalent to subsets of first order logic restricted to predicates of arity one and two [7]. They are known to be equivalent to modal logics [1].

Description logics are used in the Semantic Web, a project of the Internet standardization body W3C. The Semantic Web is an extension of the current web in which information is given well-defined meaning, better enabling computers to deal with that information in a formal way. [3]. The Knowledge Grid project [23], [22] builds on top of the Semantic Web to create an intelligent environment allowing agents (both software and human) to share and manage knowledge. The objectives of the Knowledge Web are to support of team-work, problem-solving and decision making. Description logics is also the main topic of interest in other projects dealing with the standardization of inter-agent communications.

For the purpose of describing multi-agent systems, description logics are sometimes too weak. In these cases, we want to have a more expressive formalism. We decided to use Prolog-style logic programs for this. In the following chapters, we describe how both approaches can be combined together.

Description logics and Horn rules are orthogonal subsets of first order logic [7]. During the last years, a number of approaches to combine these two logical formalisms

in one reasoning engine have been proposed. Most of these approaches use tableaux-style reasoners for description logics and combine them with Prolog-style Horn rules. In [14], Hustadt and Schmidt examined the relationship between resolution and tableaux proof systems for description logics. Baumgartner, Furbach and Thomas propose a combination of tableaux based reasoning and resolution on Horn logic [2]. Vellion [20] examines the relative complexity of SL-resolution and analytic tableau. The limits of combining description logics with horn rules are examined by Levy and Rousset [16]. Borgida [6] has shown that Description Logics and Horn rules are orthogonal subsets of first order logic.

In our approach, we use the Description Logics components of the generic theorem prover KR-Hyper [21] augmented by Prolog-style Horn clauses.

2.1. Describing *Bang 3* Agents

An *agent* is an entity that has some form of perception of its environment, can act, and can communicate with other agents. It has specific skills and tries to achieve goals. A *Multi-Agent System (MAS)* is an assemble of interacting agents in a common environment [11].

In order to use automatic reasoning on a MAS, the MAS must be described in formal logics. For the *Bang 3* system, we define a formal description for the static characteristics of the agents, and their communication channels. We do not model dynamic aspects of the system yet.

Bang 3 agents communicate via messages and triggers. Messages are XML documents send by an agent to another agent. A triggers are XML patterns with an associated function. When an agent receives a message matching the XML pattern of one of its triggers, the associated function is executed. In order to identify the receiver of a message, the sending agent needs the message itself and a link to the receiving agent. A conversation between two agents usually consists of a number of messages. For example, when a neural network agent requests training data from a data source agent, it may send the following messages:

- Open the data source located at XYZ,
- Randomize the order of the data items,
- Set the cursor to the first item,
- Send next item.

These messages belong to a common category: Messages requesting input data from a data source. In order to abstract from the actual messages, we subsume all these messages under a *message type* when describing an agent in formal logics.

```

class(decision_tree)
type(decision_tree, computational_agent)
has_gate(decision_tree, data_in)
gate_type(data_in, training_data)
interface(decision_tree, control_messages)

```

Figure 1. Example agent class definition.

Definition 1 Message type

A message type identifies a category of messages that can be sent to an agent in order to fulfill a specific task. We refer to message types by unique identifiers.

The set of message types understood by an agent is called its *interface*. For outgoing messages, each link of an agent is associated with a message type. Via this link, only messages of the given type are sent. We call a link with its associated message type a *gate*.

Definition 2 Interface

An interface is the set of message types understood by a class of agents.

Definition 3 Gate

A gate is a tuple consisting of a message type and a named link.

Now it is easy to define if two agents can be connected: Agent *A* can be connected to agent *B* via gate *G* if the message type of *G* is in the list of interfaces of agent *B*. Note that one output gate sends messages of one type only, whereas one agent can receive different types of messages. This is a very natural concept: When an agent sends a message to some other agent via a gate, it assigns a specific role to the other agent, e.g. being a supplier of training data. On the receiving side, the receiving agent usually should understand a number of different types of messages, because it may have different roles for different agents.

Definition 4 Connection

A connection is described by a triple consisting of a sending agent, the sending agent's gate, and a receiving agent.

Next we define *agents* and *agent classes*. *Bang 3* is object oriented. Agents are created by generating instances of classes. An agent derives all its characteristics from its class definition. Additionally, an agent has a name to identify it. The static aspects of an agent class are described by the interface of the agent class (the messages understood by the agents of this class), the gates of the agent (the messages sent by agents of this class), and the type(s) of the agent class. Types are nominal identifiers for characteristics of an agent. The types used to describe the characteristics of the agents should be ontological sound.

Concepts	
mas(C)	C is a Multi-Agent System
class(C)	C is the name of an agent class
gate(C)	C is a gate
m_type(C)	C is a message type
Roles	
type(X,Y)	Class X is of type Y
has_gate(X,Y)	Class X has gate Y
gate_type(X,Y)	Gate X accepts messages of type Y
interface(X,Y)	Class X understands mess. of type Y
instance(X,Y)	Agent X is an instance of class Y
has_agent(X,Y)	Agent Y is part of MAS X

Table 1. Concepts and roles used to describe MAS.

Definition 5 Agent Class

An agent class is defined by an interface, a set of message types, a set of gates, and a set of types.

Definition 6 Agent

An agent is an instance of an agent class. It is defined by its name and its class.

2.2. Describing multi-agent systems

Multi-Agent Systems are assemblies of agents. For now, only static aspects of agents are modeled. Therefore, a Multi-Agent System can be described by three elements: The set of agents in the MAS, the connections between these agents, and the characteristics of the MAS. The characteristics (constraints) of the MAS are the starting point of logical reasoning: In *MAS checking* the logical reasoner deduces if the MAS fulfills the constraints. In *MAS generation*, it creates a MAS that fulfills the constraints, starting with a partial MAS.

Definition 7 Multi-Agent System

Multi-Agent Systems (MAS) consist of a set of agents, a set of connections between the agents, and the characteristics of the MAS.

Description logics know concepts (unary predicates) and roles (binary predicates). In order to describe agents and Multi-Agent Systems in description logics, the definitions 1 to 7 are mapped onto description logic concepts and roles as shown in table 1.

An example agent class description is given in figure 1. It defines the agent class "decision_tree". This agent class accepts messages of type "control_message". It has one gate called "data_in" for data agent and emits messages of type "training_data".

In the same way, A-Box instances of agent classes are defined:

instance(decision_tree, dt_instance)

An agent is assigned to a MAS via role “has_agent”. In the following example, we define “dt_instance” as belonging to MAS “my_mas”:

has_agent(my_mas, dt_instance)

Since connections are relations between three elements, a sending agent, a sending agent’s gate, and a receiving agent, we can not formulate this relationship in traditional description logics. It would be possible to circumvent the problem by splitting the triple into two relationships, but this would be counter-intuitive to our goal of defining MAS in an ontological sound way. Connections between agents are relationships of arity three: Two agents are combined via a gate. Therefore, we do not use description logics, but traditional logic programs in Prolog notation to define connections:

connection(dt_instance, other_agent, gate)

Constraints on MAS can be described in Description Logics, in Prolog clauses, or in a combination of both. As an example, the following concept description requires the MAS “dt_MAS” to contain a decision tree agent:

dt_MAS \sqsubseteq *mas* \sqcap *has_agent*.(\exists *instance.decision_tree*)

An essential requirement for a MAS is that agents are connected in a sane way: An agent should only connect to agents that understand its messages. According to definition 4, a connection is possible if the message type of the sending agent’s output gate matches a message type of the receiving agent’s interface. With the logical concepts and descriptions given in this section, this constraint can be formulated as a Prolog style horn rule. If we are only interested in checking if a connection satisfies this property, the rule is very simple:

```
connection(S,R,G) ←
  instance(R, RC) ∧
  instance(S, SC) ∧
  interface(RC, MT) ∧
  has_gate(SC, G) ∧
  gate_type(G, MT)
```

The first two lines of the rule body determine the classes *RC* and *SC* of the sending agent *S* and the receiving agent *R*. The third line instantiates *MT* with a message type understood by *RC*. The fourth line instantiates *G* with a gate of class *SC*. The last line assures that gate *G* matches message type *MT*.

The following paragraphs show two examples for logical descriptions of MAS. It should be noted that these MAS types can be combined, i.e. it is possible to query for trusted, computational MAS.

Computational MAS A computational MAS can be defined as a MAS with a task manager, a computational agent and a data source agent which are connected (cf. Fig. 3):

```
comp_MAS(MAS) ←
  type(CAC, computational_agent) ∧
  instance(CA, CAC) ∧
  has_agent(MAS, CA) ∧
  type(DSC, data_source) ∧
  instance(DS, DSC) ∧
  has_agent(MAS, DS) ∧
  connection(CA, DS, G) ∧
  type(TMC, task_manager) ∧
  instance(TMC, TM) ∧
  has_agent(MAS, TM) ∧
  connection(TM, CA, GC) ∧
  connection(TM, GC, GD)
```

Trusted MAS A MAS is trusted if all of its agents are trusted. This examples uses the Prolog predicate *findall*. *findall* returns a list of all instances of a variable for which a predicate is true. In the definition of predicate *all_trusted* the usual Prolog syntax for recursive definitions is used.

```
trusted_MAS(MAS) ←
  findall(X, has_agent(MAS,X, A)) ∧
  all_trusted(A)
all_trusted([]) ← true
all_trusted([F|R]) ←
  instance(F,FC) ∧
  type(FC, trusted)
```

3. Implementation

The above described concepts and algorithms are implemented within the *Bang 3* software system as the BOA agent. This agent works with ontological description files of the two kinds: the Description Logics description of agent hierarchies, their gates, interfaces and message types, and the Prolog clauses describing more complicated properties and concepts, such as the form of computational MAS, or the notion of trust.

Figure 3 shows an example of the most simple computational MAS in *Bang 3* which consists only of the computational agent, data and a task manager (which can be a user interacting via GUI, or more complicated agent performing series of experiments over a cluster of workstations). A more typical computational MAS configuration is

shown on figure 3, where two more complicated computational agents — an RBF network and an Evolutionary algorithm cooperating with each other — together with several simpler agents to solve a given task.




Figure 2. Example of a small computational MAS consisting of a Task Manager agent, Data Source agent, and a computational agent (Multilayer Perceptron).




Figure 3. Example of a more complicated computational MAS consisting of a Task Manager agent, Data Source agent, and a suite of cooperating computational agents (an RBF network agent and Evolutionary agent with necessary additional agents).

Descriptions of the above shown — and similar — systems are generated by the BOA agent in a formal description language. This description is then sent to the MAS manager agent, which is able to take care of creating the whole system 3. This includes creating suitable agents (either new ones, or reusing free existing ones, or even finding suitable ones by means of ontology services), linking their gates and interfaces, sending them appropriate initialization messages, etc.

Another way of BOA work, which is currently being developed, is an integration with GUI MAS designer, where

BOA invalidates connections that are not correct, and suggests suitable partners for a connection.




Figure 4. The BOA agent generates a MAS configuration description and sends it to the MAS manager agent, which takes care of MAS creation and run. They both query the BOS ontology services agent.

4. Conclusion

We have shown how formal logics can be used to describe computational MAS. We presented a logical formalism for the description of MAS. In this, we combined Description Logics with traditional Prolog rules. The system we implemented allows the practical application of these technologies. We have demonstrated how this approach works in practice within the hybrid computational environment *Bang 3*.

So far, we only describe static aspects of MAS. Further research will be put in the development of formal descriptions of dynamic aspects of MAS. In particular, this means to work with ontological description of tasks and to gather knowledge about computational agents performance. Currently within *Bang 3*, there is a BDI-based mechanism that supports decisions of a computational agent based on its previous experience. This will blend smoothly with our approach, which in turn allows to provide more suitable MAS solutions. In particular, if there are more agents satisfying the constrains, we will be able to sort them according to their past performance in the required context. Thus, better partners for an agent can be supplied. Further in the future we plan to employ proactive mechanisms for an agent (again BDI-based), which will be allowed to improve its knowledge in its free time, such as trying to solve benchmark tasks and recording the results.

The hybrid character of the system, with both a logical component and soft computing agents, also makes it interesting to combine these two approaches in one reasoning

component. In order to automatically come up with feasible hybrid solutions for specific problems, we plan to combine two orthogonal approaches: a soft computing evolutionary algorithm with a formal ontology-based model. So far, in [4] we have tried the isolated evolutionary approach, and the results, although satisfiable, are difficult to scale up to larger configurations. We expect synergy effects from using formal logics to aid evolutionary algorithms and vice versa.

Acknowledgments

This work has been partially supported by the Czech-German project “Autonomous computational agents” no. CZE-03/023. R. Neruda has been supported by the the project IET100300419 of the Program Information Society (of the Thematic Program II of the National Research Program of the Czech Republic) “Intelligent Models, Algorithms, Methods and Tools for the Semantic Web Realization”.

References

- [1] F. Baader. Logic-based knowledge representation. In M. J. Wooldridge and M. Veloso, editors, *Artificial Intelligence Today, Recent Trends and Developments*, pages 13–41. Springer, 1999.
- [2] P. Baumgartner, U. Furbach, and B. Thomas. Model-based deduction for knowledge representation. In *Proceedings of the International Workshop on the Semantic Web*, Hawaii, USA, 2002.
- [3] T. Berners-Lee, J. Hendler, and O. Lassila. The semantic web. *Scientific American*, May 2001.
- [4] G. Beuster, P. Krušina, R. Neruda, and P. Rydvan. Towards building computational agent schemes. In *Artificial neural Nets and Genetic Algorithms — Proceedings of the ICAN-NGA 2003*. Springer Wien, 2003.
- [5] P. Bonissone. Soft computing: the convergence of emerging reasoning technologies. *Soft Computing*, 1:6–18, 1997.
- [6] A. Borgida. On the relationship between description logic and predicate logic. *CIKM*, pages 219–225, 1994.
- [7] A. Borgida. On the relative expressiveness of description logics and predicate logics. *Artificial Intelligence*, 82(1–2):353–367, 1996.
- [8] M. Davis, editor. *The Undecidable—Basic Papers on Undecidable Propositions, Unsolvable Problems and Computable Functions*. Raven Press, 1965.
- [9] J. E. Doran, S. Franklin, N. R. Jennings, and T. J. Norman. On cooperation in multi-agent systems. *The Knowledge Engineering Review*, 12(3):309–314, 1997.
- [10] A. Farquhar, R. Fikes, and J. Rice. Tools for assembling modular ontologies in ontolingua, 1997.
- [11] J. Ferber. *Multi-Agent Systems: An Introduction to Distributed Artificial Intelligence*. Harlow: Addison Wesley Longman, 1999.
- [12] M. R. Genesreth and R. E. Fikes. Knowledge interchange format, version 2.2. Technical report, Computer Science Department, Stanford University, 1992.
- [13] J. Hendler. Agents and the semantic web, 2001.
- [14] U. Hustadt and R. A. Schmidt. On the relation of resolution and tableaux proof system for description logics. In D. Thomas, editor, *Proceedings of the 16th International joint Conference on Artificial Intelligence IJCAI’99*, volume 1, pages 110–115, Stockholm, Sweden, 1999. Morgan Kaufmann.
- [15] P. Krušina, R. Neruda, and Z. Petrova. More autonomous hybrid models in bang. In *International Conference on Computational Science (2)*, pages 935–942, 2001.
- [16] A. Y. Levy and M. C. Rousset. The limits of combining recursive horn rules with description logics. In *Proceedings of the Thirteenth National Conference on Artificial Intelligence*, Portland, OR, 1996.
- [17] R. Meolic, T. Kapus, and Y. Brezocnik. Model checking: A formal method for safety assurance of logistic systems.
- [18] R. Neruda, P. Krušina, P. Kudova, and G. Beuster. Bang 3: A computational multi-agent system. In *Proceedings of the IAT’04 Conference*. IEEE Computer Society Press, 2004. in print.
- [19] H. S. Nwana. Software agents: An overview. *Knowledge Engineering Review*, 11(2):205–244, 1995.
- [20] A. Vellino. The relative complexity of sl-resolution and analytical tableau. *Studia Logica*, 52(2):323–337, 1993. Kluwer.
- [21] C. Wernhard. System description: KRHyper. Technical report, Koblenz University, June 2003. <http://www.uni-koblenz.de/wernhard/krhyper/papers/krhsys.ps>.
- [22] H. Zhuge. Semantic space grid: Model, method and platform. *Concurrency and Computation: Practice and Experience*, 2004. in press.
- [23] H. Zhuge. Semantics, resource and grid. *Future Generation Computer Systems*, 20(1):1–5, 2004.